

# SAFETY DATA SHEET



Revision Date 19-Aug-2015  
Version 1.01

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name DynaForce 77  
Product code LG-F1157-CS

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Professional Carpet Cleaning  
Restrictions on use Professional Use Only

### 1.3 Details of the supplier of the safety data sheet

Supplier Legend Brands  
Chemspec  
15180 Josh Wilson Road  
Burlington, WA 98233  
800-932-3030

E-mail Address msds@chemspecworld.com

### 1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA  
Chemtrec: 1-800-424-9300 USA

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### 2.2 Label elements

#### Signal Word

Danger

#### Hazard Statements

Causes severe skin burns and eye damage



**Precautionary Statements - Prevention**

Wear eye protection/ face protection  
 Do not breathe dusts or mists  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 Immediately call a POISON CENTER or doctor  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
 Wash contaminated clothing before reuse  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 Immediately call a POISON CENTER or doctor  
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**2.3. Other Hazards Hazards not otherwise classified (HNOC)**

Not Applicable

**2.4 Other information**

Not Applicable

**Unknown Acute Toxicity**

< 1% of the mixture consists of ingredient(s) of unknown toxicity

### 3. Composition/Information on Ingredients

**Substance****Mixture**

Chemical Name	CAS-No	Weight %
Sodium carbonate	497-19-8	20 - 30
Sodium Metasilicate	6834-92-0	5 - 10
2-(2-BUTOXYETHOXY)ETHANOL	112-34-5	5 - 10
Anionic surfactant blend	LG-C0285-A	1 - 5
Multipurpose surfactant blend	LG-C0316-A	1 - 5

The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

**4.1 Description of first-aid measures****General advice**

Show this safety data sheet to the doctor in attendance. When symptoms persist or in all cases of doubt seek medical advice.

**Eye contact**

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

**Skin contact**

Wash off immediately with soap and plenty of water. Remove all contaminated clothes and shoes. Use a mild soap if available. If skin irritation persists, call a physician.

**Inhalation**

Move to fresh air. Consult a physician after significant exposure.

**Ingestion**

Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to

drink. Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

#### **4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician** Treat symptomatically.

### **5. Fire-Fighting Measures**

#### **5.1 Extinguishing media**

##### **Suitable extinguishing media**

Use water spray, fog, Carbon dioxide (CO<sub>2</sub>), foam or dry chemical.

**Unsuitable Extinguishing Media** High volume water jet.

#### **5.2 Special hazards arising from the substance or mixture**

##### **Special Hazard**

Smoke Carbon monoxide Carbon dioxide (CO<sub>2</sub>) May be combustible only at very hightemperatures. Temperatures above 100°C may cause self-accelerating exothermic reaction which causes a rapid rise in temperature and pressure. This could result in an explosion (bursting of the container), splashing of material, burning of the product, and the emission of toxic gases and exhaust fumes.

**Hazardous Combustion Products** No information available.

##### **Explosion Data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

#### **5.3 Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **6. Accidental Release Measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Ensure adequate ventilation, especially in confined areas.

#### **6.2 Environmental precautions**

Do not allow material to contaminate ground water system. See Section 12 for additional Ecological information.

#### **6.3 Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

### **7. Handling and storage**

#### **7.1 Precautions for safe handling**

**Advice on safe handling** Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** When using, do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep tightly closed in a dry and cool place.

**Materials to Avoid** No materials to be especially mentioned.

**8. Exposure controls/personal protection**

**8.1 Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
2-(2-BUTOXYETHOXY)ETHANOL 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-				

**8.2 Appropriate engineering controls**

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

**8.3 Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Long sleeved clothing.

**Respiratory protection** In case of insufficient ventilation wear suitable respiratory equipment.

**Hygiene measures** See section 7 for more information

**9. Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

<b>Physical state</b>	Solid
<b>Appearance</b>	Powder
<b>Color</b>	Blue
<b>Odor</b>	Fresh Pleasant
<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Methods</u>
pH	10	
Melting/freezing point		
Boiling point/boiling range		
Flash Point		
Evaporation rate		
Flammability (solid, gas)		
Flammability Limits in Air		
upper flammability limit		No information available
lower flammability limit		No information available
Vapor pressure		
Vapor density		
Specific Gravity		
Water solubility	Soluble in water	
Solubility in other solvents		
Partition coefficient		
Autoignition temperature		
Decomposition temperature		
Viscosity, kinematic		
Viscosity, dynamic		
Explosive properties		
Oxidizing Properties		

**9.2 Other information**

<b>Volatile organic compounds (VOC) content</b>	Negligible
<b>Bulk Density</b>	No data available

**10. Stability and Reactivity**

**10.1 Reactivity**

No data available

**10.2 Chemical stability**

Stable under normal conditions

**10.3 Possibility of hazardous reactions**

None under normal processing.

**10.4 Conditions to Avoid**

Avoid moisture.

**10.5 Incompatible Materials**

None known based on information supplied.

**10.6 Hazardous Decomposition Products**

In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Fumes. Smoke.

## 11. Toxicological information

### 11.1 Acute toxicity

#### Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**Unknown Acute Toxicity** < 1% of the mixture consists of ingredient(s) of unknown toxicity

**Oral LD50** 2,772.00 mg/kg  
**Dermal LD50** 9,946.00 mg/kg

#### Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium carbonate 497-19-8	4090 mg/kg ( Rat )	-	= 2300 mg/m <sup>3</sup> ( Rat ) 2 h
Sodium Metasilicate 6834-92-0	600 mg/kg ( Rat )	-	-
2-(2-BUTOXYETHOXY)ETHANOL 112-34-5	3384 mg/kg ( Rat )	= 2700 mg/kg ( Rabbit )	-
Anionic surfactant blend LG-C0285-A	5000	2000	-
Multipurpose surfactant blend LG-C0316-A	2000	-	-

### 11.2 Information on toxicological effects

#### Skin corrosion/irritation

##### Product Information

- No information available

##### Component Information

- No information available

#### Eye damage/irritation

##### Product Information

- No information available

##### Component Information

- No information available

#### Respiratory or skin sensitization

##### Product Information

- No information available

##### Component Information

- No information available

#### Germ cell mutagenicity

##### Product Information

- No information available

##### Component Information

- No information available

#### Carcinogenicity

##### Product Information

- No information available

##### Component Information

- No information available

**Reproductive toxicity**

Product Information

- No information available

Component Information

- No information available

**STOT - single exposure**

No information available

**STOT - repeated exposure**

- Avoid repeated exposure

**Other adverse effects**

Target Organs

- No information available

Product Information

- No information available

Component Information

- No information available

**Aspiration hazard**

Product Information

- No information available

Component Information

- No information available

**12. Ecological information**

**12.1 Toxicity**

**Ecotoxicity**

No information available

51.13999 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Sodium carbonate 497-19-8	-	LC50: 96 h Lepomis macrochirus 300 mg/L static LC50: 96 h Pimephales promelas 310 - 1220 mg/L static	EC50: 48 h Daphnia magna 265 mg/L
Sodium Metasilicate 6834-92-0	-	LC50: 96 h Brachydanio rerio 210 mg/L semi-static LC50: 96 h Brachydanio rerio 210 mg/L	-
2-(2-BUTOXYETHOXY)ETHANOL 112-34-5	EC50: 96 h Desmodesmus subspicatus 100 mg/L	LC50: 96 h Lepomis macrochirus 1300 mg/L static	EC50: 48 h Daphnia magna 100 mg/L

**12.2 Persistence and degradability**

No data are available on the product itself.

**12.3 Bioaccumulative potential**

Discharge into the environment must be avoided

**12.4 Mobility in soil**

No information available.

**12.5 Other adverse effects**

No adverse effects are expected.

**13. Disposal Considerations**

**13.1 Waste treatment methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. Transport Information**

<b><u>DOT</u></b>	Not regulated
<b><u>MEX</u></b>	Not regulated
<b><u>IMDG</u></b>	Not regulated
<b><u>IATA</u></b>	Not regulated

**15. Regulatory information**

**15.1 International Inventories**

<b>TSCA</b>	-
<b>DSL</b>	-
<b>EINECS/ELINCS</b>	-
<b>ENCS</b>	-
<b>IECSC</b>	-
<b>KECL</b>	-
<b>PICCS</b>	-
<b>AICS</b>	-
<b>NZIoC</b>	-

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL** - Canadian Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals

**15.2 U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
2-(2-BUTOXYETHOXY)ETHANOL 112-34-5	1.0

**15.3 Pesticide Information**

Not applicable

**15.4 U.S. State Regulations**

**California Proposition 65**



This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
NAPHTHALENE - 91-20-3	Carcinogen

**16. Other information**

<b>NFPA</b>	<b>Health Hazard</b> 0	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and chemical hazards</b> -
<b>HMIS</b>	<b>Health Hazard</b> 0	<b>Flammability</b> 0	<b>Physical Hazard</b> 0	<b>Personal protection</b> X

**Legend:**

- ACGIH (American Conference of Governmental Industrial Hygienists)
- Ceiling (C)
- DOT (Department of Transportation)
- EPA (Environmental Protection Agency)
- IARC (International Agency for Research on Cancer)
- International Air Transport Association (IATA)
- International Maritime Dangerous Goods (IMDG)
- NIOSH (National Institute for Occupational Safety and Health)
- NTP (National Toxicology Program)
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)
- PEL (Permissible Exposure Limit)
- Reportable Quantity (RQ)
- Skin designation (S\*)
- STEL (Short Term Exposure Limit)
- TLV® (Threshold Limit Value)
- TWA (time-weighted average)

**Prepared By** Chemspec Regulatory Affairs/Product Safety  
**Revision Date** 19-Aug-2015

**Revision Note**  
 No information available

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**